

LO-21 USED WITH OLD STYLE DK-12



LO-21 w/ Bodyguard or New Style DK-12



*Please note: Connect the dashed lines (green, blue, black/ white, purple & gray) ONLY if safety beams are used.




B.E.A., Inc.


100 Enterprise Drive, Pittsburgh, PA 15275 PH: (412) 249-4100 FAX: (412) 249-4101

TITLE:

DK-12/ BODYGUARD w/LO-21

ŞIZE	CAGE CODE	DWG NQ	FILE OF:	ĺ	DRAWN BY:	REV
Α		80.0035	ENGG		JED	01
SCALE NONE		DATE: 02	JAN 04	SHEE	1 1 0 F 1	





NOTES: 1) OPEN DOOR PATTERNS CANNOT OVERLAP

2) STANDARD 80 TO 84 INCH OPENINGS SPACE BODYGUARDS 15 INCHES FROM CENTER DOOR OPENING TO BODYGUARD CENTER. RH TRAFFIC SET OPEN DOOR PATTERN TO #3 FOR SMALLER DOOR OPENINGS SPACE BODYGUARDS SAME AS ABOVE USING PATTERN #9. THESE ARE SUGGESTED SETTINGS; ALWAYS WALK TEST SAFETY PATTERNS AND CHANGE IF NEEDED.

IF AFTER TROUBLESHOOTING A PROBLEM, A SATISFACTORY SOLUTION CANNOT BE ACHIEVED, PLEASE CALL B.E.A., INC. FOR FURTHER ASSISTANCE DURING EASTERN STANDARD TIME AT 1-800-523-2462 FROM 8AM - 5PM. FOR AFTER-HOURS, CALL EAST COAST: 1-866-836-1863 OR 1-800-407-4545 / MID-WEST: 1-888-308-8843 / WEST COAST: 1-888-419-2564. DO NOT LEAVE ANY PROBLEM UNRESOLVED. IF YOU MUST WAIT FOR THE FOLLOWING WORKDAY TO CALL B.E.A., LEAVE THE DOOR INOPERABLE UNTIL SATISFACTORY REPAIRS CAN BE MADE. NEVER SACRIFICE THE SAFE OPERATION OF THE AUTOMATIC DOOR OR GATE FOR AN INCOMPLETE SOLUTION.WEB: WWW.BEASENSORS.COM



PHONE: (412) 249-4100 FAX: (412) 249-4101 EMAIL: www.beasensors.com

TITLE: BODYGUARD DUAL EGRESS

SIZE:	DRAWN BY: KJG	REV BY: KJG	PART NO: 80.0075.02
Α	SCALE:	DATE:	SHEET
	NONE	07 AUG 05	1 OF 1

