



NOTES 1) DOOR POSITION SWITCH CONTACTS MUST BE CLOSED WHEN DOOR IS CLOSED. DOOR POSITION SWITCH CONTACTS MUST BE OPEN WHEN DOOR IS OPEN.
 2) DOORS WILL BE UNLOCKED UNTIL ONE DOOR IS OPENED.

**ISOLATION RELAY IS B.E.A. p/n 10REL24VDC

IF AFTER TROUBLESHOOTING A PROBLEM, A SATISFACTORY SOLUTION CANNOT BE ACHIEVED, PLEASE CALL B.E.A., INC. FOR FURTHER ASSISTANCE DURING EASTERN STANDARD TIME AT 1-800-523-2462 FROM 8AM - 5PM. FOR AFTER-HOURS, CALL EAST COAST: 1-866-836-1863 OR 1-800-407-4545 / MID-WEST: 1-888-308-8843 / WEST COAST: 1-888-419-2564. DO NOT LEAVE ANY PROBLEM UNRESOLVED. IF YOU MUST WAIT FOR THE FOLLOWING WORKDAY TO CALL B.E.A., LEAVE THE DOOR INOPERABLE UNTIL SATISFACTORY REPAIRS CAN BE MADE. NEVER SACRIFICE THE SAFE OPERATION OF THE AUTOMATIC DOOR OR GATE FOR AN INCOMPLETE SOLUTION. WEB: WWW.BEASENSORS.COM

BEA
 We open up New Horizons
 HALMA GROUP COMPANY
 100 ENTERPRISE DRIVE
 PITTSBURGH, PA 15275
 PHONE: (412) 249-4100
 FAX: (412) 249-4101
 EMAIL: www.beasensors.com

TITLE: FOUR MANUAL DOORS WITH MAGLOCK (INTERLOCKED)

SIZE: A	DRAWN BY: KJG	REV BY: KJG	PART NO: 80.0029.02
	SCALE: NONE	DATE: 22 MAY 2005	SHEET 1 OF 1